

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability, Limits, State and Tribal Certifications,
and
Proposed Regional Conditions
May 30, 2007

Type of Nationwide Permit	Applicable Waters	Acreage & Linear Limits	PCN Threshold	Coordination Req'd	WQC FL	CZM FL	WQC PR	CZM PR	WQC VI	CZM VI	WQC STF	WQC MTIF	GENERAL CONDITIONS	Regional Conditions and Water Quality Certification and/or Coastal Zone Consistency Certification Special Conditions
1. Aids to Navigation (10)	Navigable	NA	None	No	NA W W W. sp a.u sa ce. ar my .mi l/re g/ Re gio nal %2 0P er mit s/ RG P0 8/ wq	Yes	NA		NA		NA	NA		<p>NOTE: U.S. Army Corps of Engineers (Corps) Regional Conditions are Jacksonville District conditions and have (COE) beside the condition. All others are special conditions attached to Water Quality Certification or Coastal Zone Consistency. A Nationwide permit cannot be used in an exclusion area designated by the Corps (COE). Exclusion areas attached to WQC/CZM are denied without prejudice until individual WQC/CZM is received.</p> <p>1. Aids to navigation may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF)</p> <p>2. Within the boundaries of the Florida Keys National Marine Sanctuary (FKNMS), this NWP can only be used by the FKNMS in carrying out its program initiatives. (COE)</p> <p>3. In Florida, prior to installation of aids to navigation and other water dependent informational signs must have the appropriate authorization required from the U.S. Coast Guard and the FWC (CZM-FL)</p>

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

					cert% 20f or %2 0E RG P %2 0P N %2 0o nly .pdf								
2. Structures in Artificial Canals (10)	Artificial Canals	NA	None	No	NA	Yes	NA		NA		NA	NA	1. This NW is limited to installation and removal of individual, single family docks, boat lifts and seawalls at private, single-family residences and multi-family docks of less than 1,000 square feet. (CZM-FL) 2. Docking facilities are authorized only in areas that have a minimum water depth of -2 feet MLW. (CZM-FL) 3. A structure may not be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF) 4. Structures are limited to private, single-family docks, riprap revetments, seawalls with riprap at the toe and vertical seawalls on lands owned by the Seminole Tribe of Florida. (WQC-STF) 5. Excluded from use in the Florida Keys. (COE and CZM-FL) 6. This NWP is limited to the installation and removal of individual, single family docks, fishing piers, davits, boat lifts, riprap revetments, seawalls with riprap at the toe and vertical seawalls at single-family residences. (COE) 7. Structures constructed on canals must not extend more than 25% of waterway width. (COE) 8. Bulkhead structures should be placed landward of all tidal fringe wetlands. (COE) 9. All dock or pier construction over submerged aquatic vegetation, marsh, and/or mangroves shall comply with the joint U.S. Army Corps of Engineers/National Marine Fisheries Service's "Construction Guidelines in Florida for Minor Piling-Supported Structures Constructed in or over Submerged Aquatic Vegetation (SAV), Marsh or Mangrove Habitat - August 2001," and where applicable, the "Key for Construction Conditions for Docks or Other Minor Structures Constructed in or Over Johnson's seagrass (<i>Halophila johnsonii</i>) National Marine Fisheries Service/U.S. Army Corps of Engineers - February 2002." (See http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) (COE) 10. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

3. Maintenance (10/404)	All	200 linear ft from structure; 50 cy	All activities except repair, replacement or rehab; Regional conditions #6, #7, #8, #9 and #10; GC #19.	No	Yes	Yes								19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	<p>http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm and/or requirements, as appropriate for the proposed activity.</p> <ol style="list-style-type: none"> 1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. In Florida, not applicable to maintenance activities located seaward of the coastal construction control line and along ocean inlet shorelines. (CZM-FL) 3. In Florida any structure replaced or repaired in accordance with an emergency order issued by the Governor of Florida or the Secretary of the Department of Environmental Protection is subject to full compliance with the terms of the order. (WQC/CZM-FL) 4. Not applicable if the structure is within 100 feet of the near edge of a Federal channel in Puerto Rico, and the U.S. Virgin Islands. (COE) 5. For projects proposed adjacent to Federally maintained channels in Florida, no structures, including mooring piles, authorized under this Nationwide Permit shall be within the established setback, calculated from the near bottom edge of the channel. The setback may vary between different Federal channels and between specific reaches of the same Federal channel. Exact locations of the proposed work may be verified by use of Florida State Plane Coordinate System (XY coordinates). Any activity within Federal rights-of-way may require the permittee to enter into a consent-to-easement with the Real Estate Division, U.S. Army Corps of Engineers, Jacksonville or Mobile District, as appropriate, prior to the commencement of any construction activity. (COE) 6. PCN required prior to start of any work in the Florida Keys. (COE) 7. In other areas of Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 8. For the discharge of any fill in the Coastal Zone of Puerto Rico and the U.S. Virgin Islands, and in the areas listed in notes ¹ and ² below, (except for work proposed in La Paguera area and Culebra Island), the permittee must notify the District Engineer in accordance with the "notification" general condition. (COE) 9. For all work in La Paguera area and Culebra Island, a PCN is also required but must include the following information: a) detailed description of the proposed repairs, b) plan view and cross sectional drawings of the existing structure, c) photographs of the existing structure (all elevations), d) a declaration stating whether the structure is being rebuilt or repaired, e) state the existing purpose or use of the structure, f) a statement from the owner of the structure certifying that the structure will not be expanded beyond its approved footprint. Reconstruction of existing structures within La Paguera will not be allowed under this nationwide permit. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a PCN. (COE) 10. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE) 11. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm)
-------------------------	-----	-------------------------------------	---	----	-----	-----	--	--	--	--	--	--	--	---	--

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

														(WQC/CZM-FL) 4. No survey activity may be located on tribal lands or in tribal waters without prior written approval from the Seminole Tribe of Florida. (WQC-STF) 5. Seismic exploratory activities on lands owned by the Seminole Tribe of Florida are not authorized by this permit. (WQC-STF) 6. Survey activities using ground penetrating radar or isotope technology are not authorized on lands of the Seminole Tribe of Florida. (WQC-STF) 7. In Florida, for seismic exploratory activities in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE) 8. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) and/or requirements, as appropriate for the proposed activity.
7. Outfall Structures and Associated Intake Structures (10/404)	All	Limited to original configuration.	All activities	If over ½ acre of Wat US will be lost	Yes	Yes							19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN (COE). 3. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in coral assemblages, forested wetlands, salt flats, and/or submerged aquatic or tidal vegetation. (COE) 4. In Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)
8. Oil and Gas Structures on the Outer Continental Shelf (10)	Navigable	None	All activities	No	NA	No	NA		NA		NA	NA	19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	NONE
9. Structures in Fleeting and Anchorage	Areas established by the US	None	None	No	NA	Yes	NA		NA		NA	NA		1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069,

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

														<p>description of all waters of the United States impacted by the project, amount of water to be withdrawn in MGDs, minimum instream flows in MGDs after water extraction, Q99, and a delineation of the special aquatic site including wetlands. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>3. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>4. In Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>5. Excluded from use in the following rivers, creeks, and their tributaries: Chipola River, Apalachicola River, Ochlockonee River, Econfina Creek, and the Suwannee River. (COE)</p> <p>6. PCN required prior to the start of any activity within the Florida panther consultation area. (COE)</p> <p>7. Aerial transmission lines must meet the U.S. Army Corps of Engineers clearance criteria as described in 33 CFR, Part 322.5(i)(1), (2), (3), and (4). (COE)</p> <p>8. For projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE)</p> <p>9. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) and/or requirements, as appropriate for the proposed activity.</p>
13. Bank Stabilization (10/404)	All	None	500 ft length; 1cy/ft below OHWM; Project located in a special aquatic site; Regional Conditions #4, #5, and #9; GC #19.	If over ½ acre of Wat US will be lost;	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. WQC/CZM and CZM is approved for construction of seawalls and riprap in artificial canals, except that vertical seawalls cannot be constructed in canals connected to estuaries or lagoons where there is not already existing seawalls. (WQC/CZM-FL)</p> <p>3. Excluded from use in the Florida Keys. (COE)</p> <p>4. In other areas of Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>5. For all activities under this NWP in Puerto Rico and the U.S. Virgin Islands, the permittee must notify the District Engineer in accordance with the "Notification" general condition. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>6. Not applicable if the structure is within 100 feet of the near edge of a Federal channel in Puerto Rico, and the U.S. Virgin Islands. (COE)</p> <p>7. For projects proposed adjacent to Federally maintained channels in Florida, no structures, including mooring piles, authorized under this Nationwide Permit shall be within the established setback, calculated from the near bottom edge of the channel. The setback may vary between different Federal channels and between specific reaches of the same Federal channel. Exact locations of the proposed work may be verified by use of Florida State Plane Coordinate System (XY coordinates). Any activity within Federal rights-of-way may require the permittee to enter into a consent-to-easement with the Real Estate Division, U.S. Army Corps of Engineers.</p>

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

														<p>Jacksonville or Mobile District, as appropriate, prior to the commencement of any construction activity. (COE)</p> <p>8. Excluded from use in the following rivers, creeks, and their tributaries: Chipola River, Apalachicola River, Ochlockonee River, Econfina Creek, and Suwannee River. (COE)</p> <p>9. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE)</p>
14. Linear Transportation Projects (10/404)	Non-tidal waters	½ acre	1/10 acre; Discharges into special aquatic sites; Regional Conditions #6, #7, and #8.	If over ½ acre of Wat US will be lost	Yes	Yes							19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	<p>1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>3. If a PCN is required, all PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>4. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p> <p>5. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p> <p>6. In Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>7. PCN required prior to the start of any activity within the Florida panther consultation area. (COE)</p> <p>8. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE)</p> <p>9. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) and/or requirements, as appropriate for the proposed activity.</p>
	Tidal Waters	1/3 acre												
15. U.S. Coast Guard	All	None	Regional Condition #3;	No	Yes	Yes							19. Activities in Designated	<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S.,</p>

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

Approved Bridges (404)			GC #19										Critical Resource Waters ³ and/or their adjacent wetlands require notification.	by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal vegetation, and/or coral assemblages. (COE) 3. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE)
16. Return Water from Upland Contained Disposal Areas (404)	All	None	None	No	Yes	Yes							19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. In the Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal vegetation, and/or coral assemblages. (COE)
17. Hydropower Projects (404)	existing reservoirs, project licensed by FERC	total generating capacity < 5000KW	All activities	If over ½ acre of Wat US will be lost	Yes	Yes							19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. The amount of fill or dredging is limited to no more than 0.25 acres; in no case shall dredging or filling be used to cause the impoundment or diversion of waters within STF jurisdiction. (WQC-STF)
	Project w/ FERC exemption	None												
18. Minor Discharges (10/404)	All	Discharge does not exceed 25 cy below MHW or OHWM;	10 cy below OHWM or high tide line; Any fill in special aquatic site;	If over ½ acre of Wat US will be lost	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

		1/10 acre	Regional Conditions #2, #5 and #6; GC #19.										their adjacent wetlands require notification.	waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. In Puerto Rico and the U.S. Virgin Islands, for the areas listed in Notes ¹ and ² , the permittee must notify the District Engineer in accordance with the "Notification" general condition. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE) 3. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 4. Excluded from use in the Florida Keys (COE) 5. In other areas of Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 6. PCN required prior to the start of any activity within the Florida panther consultation area. (COE)
19. Minor Dredging (10/404)	Navigable	25 cy below OHWM / MHWM	Regional Conditions #4 and #5; GC #19	No	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 3. Excluded from use in the Florida Keys. (COE) 4. In other areas of Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE) 5. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE) 6. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) and/or requirements, as appropriate for the proposed activity. 7. Hopper dredging is not allowed under this NWP.
20. Oil Spill Cleanup (10/404)	All	None	None	No	Yes	Yes								1. Activities authorized under this NWP shall be conducted in conformance with the National Response Team Integrated Contingency Plan Guidance, available at 1-800-424-9346. (WQC/CZM-FL)
21. Surface Coal Mining Operations (10/404)	All	2 acres	All activities	If over 1/2 acre of Wat US will be lost	NAJ	NAJ							19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their	NONE. COAL MINING DOES NOT OCCUR IN THE JACKSONVILLE DISTRICT

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability, Limits, State and Tribal Certifications,
and
Proposed Regional Conditions
April 2007

													adjacent wetlands.	
22. Removal of Vessels (10/404)	All	None	Vessels listed/ or eligible for NRHP; GC #19	No	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. Not applicable to treasure salvaging. (WQC/CZM-FL) 3. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)
23. Approved Categorical Exclusions (10/404)	All	None	Those stipulated by the CatExs themselves; GC #19	No	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
24. Indian Tribe or State Administered Section 404 Programs (10)	All	None	None	No	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ	NAJ		NONE. NO TRIBAL OR STATE ASSUMPTION HAS OCCURRED YET IN THE JACKSONVILLE DISTRICT.
25. Structural Discharges (404)	All	None	GC #19	No	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
27. Aquatic Habitat Restoration, Establishment, and Enhancement Activities (10/404)	All	None	All activities	If over ½ acre of Wat US will be lost	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the Department of Agriculture and Consumer Services under s. 597.010(14) and/or (19), F.S., or the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)
28. Modifications of Existing	Navigable	None	Regional Condition #2; GC #19	No	NA	Yes	NA		NA		NA	NA	19. Activities in Designated Critical	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069,

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

Marinas (10)													Resource Waters ³ and/or their adjacent wetlands require notification.	F.S., or a local government with delegated authority under s. 373.441, F.S., and receive applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE) 3. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) and/or requirements, as appropriate for the proposed activity.
29. Residential Developments (10/404)	Non-tidal, excluding all wetlands adjacent to tidal waters	1/2 acre; 300 linear feet of stream bed	All activities	No	Yes	Yes							19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. Excluded from use in the Florida Keys. (COE) 3. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE) 4. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE) 5. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)
30. Moist Soil Management for Wildlife (404)	Non-tidal	None	GC #19	No	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
31. Maintenance of	All	Projects previously	All activities	If over 1/2 acre	Yes	Yes							19. Discharges not	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability, Limits, State and Tribal Certifications,
and
Proposed Regional Conditions
April 2007

Existing Flood Control Facilities (10/404)		permitted by, or built by the Corps.		of Wat US will be lost									authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
32. Completed Enforcement Actions (10/404)	All	5 acres (nontidal); 1 acre (tidal)	NA	No	Yes	Yes								1. In Florida, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
33. Temporary Construction, Access and Dewatering (10/404)	All	None	All activities	If over ½ acre of Wat US will be lost	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. In Puerto Rico and the U.S. Virgin Islands, this NWP is excluded from use in forested wetlands, submerged aquatic vegetation, tidal wetlands, and/or coral assemblages.
34. Cranberry Production Activities (404)	All	10 acres	All activities	If over ½ acre of Wat US will be lost	NAJ	NAJ							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	NONE. CRANBERRY PRODUCTION DOES NOT OCCUR IN THE JACKSONVILLE DISTRICT.
35. Maintenance Dredging of Existing Basins (10)	Navigable	None	Regional Conditions #4 and #5	No	NA	Yes	NA		NA		NA	NA	19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

														<p>authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. On lands of the Seminole Tribes of Florida the following conditions will apply:</p> <p>(a) Dredging authorized by this nationwide permit will not exceed the originally excavated depth. (WQC-STF)</p> <p>(b) This permit does not authorize the removal of plugs or connections of any canal to navigable waters of the U.S. (WQC-STF)</p> <p>(c) Documentation shall be provided showing the originally authorized depth. (WQC-STF)</p> <p>(d) Any spoil material shall be disposed of in self-contained upland spoil sites in such a manner that it will be totally contained in the uplands without discharge. (WQC-STF)</p> <p>3. Excluded from use in the Florida Keys, Puerto Rico and/or the U.S. Virgin Islands. (COE)</p> <p>4. In other areas of Florida, a PCN is required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>5. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE)</p> <p>6. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) and/or requirements, as appropriate for the proposed activity.</p> <p>7. Hopper dredging is not allowed under this NWP.</p>
36. Boat Ramps (10/404)	All except special aquatic sites	50 cy; 20 ft width	> 50 cy; or > 20 ft width; Regional Conditions #4 and #5; GC#19	No	Yes	Yes							<p>19. Activities in Designated Critical Resource Waters³ and/or their adjacent wetlands require notification.</p> <p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. No boat ramps may be constructed on tribal lands or in tribal waters without prior written approval of the STF. (WQC-STF)</p> <p>3. Excluded from use in Puerto Rico and the U.S. Virgin Islands. (COE)</p> <p>4. Excluded from use in the Florida Keys (COE)</p> <p>5. PCN required prior to the start of any activity within the Florida panther consultation area. (COE)</p> <p>6. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE)</p> <p>7. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) and/or requirements, as appropriate for the proposed activity.</p>	
37. Emergency Watershed Protection and	All	NRCS, USFS, or DOI only	All activities	If over ½ acre of Wat	Yes	Yes							<p>19. Activities in Designated Critical</p> <p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069,</p>	

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

Rehabilitation (10/404)				US will be lost									Resource Waters ³ and/or their adjacent wetlands require notification.	F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
38. Cleanup of Hazardous and Toxic Waste (10/404)	All	None	All activities	If over ½ acre of Wat US will be lost	Yes	Yes							19. Activities in Designated Critical Resource Waters ³ and/or their adjacent wetlands require notification.	1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)
39. Commercial, and Institutional Developments (10/404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	All activities	If over ½ acre of Wat US will be lost	Yes	Yes							19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. Excluded for use in wetlands south of CSX Railroad at Garcon Point, Santa Rosa County. (WQC/CZM-FL) 3. Excluded from use in wetlands of the Gulf Breeze Peninsula from Gulf Islands National Seashore to Hurlburt Field. (WQC/CZM-FL) 4. Excluded from use in wetlands of southwest Escambia County, south of Nine Mile Road and west of I-110. (WQC/CZM-FL) 5. Excluded from use in wetlands south of S.R. 20, and wetlands north of S.R. 20 east of Hwy. 81 in Walton County. (WQC/CZM-FL) 6. Excluded from use in wetlands of Bay County, from 15 th Street North to North Bay Bridge, and from Highway 2327 west to Hathaway Bridge. (WQC/CZM-FL) 7. Excluded from use in the following waters of the St. Johns River Water Management District: a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL) b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties.

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

														(WQC/CZM-FL) c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL) 8. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE) 9. Excluded from use in the Florida Keys. (COE) 10. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE) 11. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)
40. Agricultural Activities (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	All activities	If over ½ acre of Wat US will be lost	Yes	Yes							19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands.	1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE) 3. Excluded from use in the Florida Keys. (COE)
41. Reshaping Existing Drainage Ditches (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	minimum necessary	Reshaping >500 linear ft; Regional Condition #4, #5, and #6.	If over ½ acre of Wat US will be lost	Yes	Yes								1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. No change in the rate or volume of water discharged from the site from pre-construction conditions is authorized. (WQC/CZM-FL) 3. Excluded from use in the following waters of the St. Johns River Water Management District: a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL) b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL) c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

															Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL) 4. PCN required prior to the start of any activity in the Jacksonville District. (COE) 5. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE) 6. In Florida, the PCN shall include a sediment and erosion control plan. (COE) 7. Excluded from use in the Florida Keys. (COE) 8. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE) 9. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)
42. Recreational Facilities (404)	Non-tidal, excluding all wetlands adjacent to tidal waters	½ acre; 300 linear feet of stream bed	All activities	If over ½ acre of Wat US will be lost	Yes	Yes									19. Discharges not authorized in Designated Critical Resource Waters ³ and/or their adjacent wetlands. 1. In Florida, this NWP is excluded from use in areas designated in Rule 62-302.700, F.A.C., until the project is authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. In all other waters, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL) 2. Auditoriums, parking areas, and other buildings and impervious pavement/parking/roadway surfaces of greater than 4,000 square feet, and golf courses of any size are specifically not authorized in Florida. (WQC/CZM-FL) 3. Excluded in wetlands of Garcon Point, south of the CSX railroad in Santa Rosa County. (WQC/CZM-FL) 4. Excluded from use in wetlands of southwest Escambia County. South of Nine Mile Road and west of I-110. (WQC/CZM-FL) 5. Excluded from use in wetlands south of S.R. 20, and wetlands north of S.R. 20 east of Hwy. 81 in Walton County. (WQC/CZM-FL) 6. Excluded from use in wetlands of Bay County, from 15 th Street North to North Bay Bridge, and from Highway 2327 west to Hathaway Bridge. (WQC/CZM-FL) 7. Excluded from use in wetlands of the Gulf Breeze peninsula from Gulf Islands National Seashore eastward to Hurlburt Field. (WQC/CZM-FL) 8. Excluded from use in the following waters of the St. Johns River Water Management District: a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL) b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties.

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

45. Repair of Uplands Damaged by Discrete Events (10/404)	All	Minimum necessary	All activities; Regional Conditions #6, #7, #8, and #9.	If over ½ acre of Wat US will be lost	Yes	Yes										<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. In Florida, not applicable to maintenance activities located seaward of the coastal construction control line and along ocean inlet shorelines. (CZM-FL)</p> <p>3. In Florida any structure replaced or repaired in accordance with an emergency order issued by the Governor of Florida or the Secretary of the Department of Environmental Protection is subject to full compliance with the terms of the order. (WQC/CZM-FL)</p> <p>4. Not applicable if the structure is within 100 feet of the near edge of a Federal channel in Puerto Rico, and the U.S. Virgin Islands. (COE)</p> <p>5. For projects proposed adjacent to Federally maintained channels in Florida, no structures, including mooring piles, authorized under this Nationwide Permit shall be within the established setback, calculated from the near bottom edge of the channel. The setback may vary between different Federal channels and between specific reaches of the same Federal channel. Exact locations of the proposed work may be verified by use of Florida State Plane Coordinate System (XY coordinates). Any activity within Federal rights-of-way may require the permittee to enter into a consent-to-easement with the Real Estate Division, U.S. Army Corps of Engineers, Jacksonville or Mobile District, as appropriate, prior to the commencement of any construction activity. (COE)</p> <p>6. PCN required prior to start of any work in the Florida Keys. (COE)</p> <p>7. In other areas of Florida, PCN required prior to the start of any activity proposed within submerged aquatic vegetation, tidal wetlands, and/or coral assemblages. (COE)</p> <p>8. For the discharge of any fill in the Coastal Zone of Puerto Rico and the U.S. Virgin Islands, and in the areas listed in notes ¹ and ² below, (except for work proposed in La Paguera area and Culebra Island), the permittee must notify the District Engineer in accordance with the "notification" general condition. (COE)</p> <p>9. For all work in La Paguera area and Culebra Island, a PCN is also required but must include the following information: a) detailed description of the proposed repairs, b) plan view and cross sectional drawings of the existing structure, c) photographs of the existing structure (all elevations), d) a declaration stating whether the structure is being rebuilt or repaired, e) state the existing purpose or use of the structure, f) a statement from the owner of the structure certifying that the structure will not be expanded beyond its approved footprint. Reconstruction of existing structures within La Paguera will not be allowed under this nationwide permit. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA), and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>10. In Florida, for projects in waters accessible to manatees, prior to verification of authorization, the dichotomous key titled "The Corps of Engineers, Jacksonville District, and the State of Florida Effect Determination Key for the Manatee in Florida, July 2005," (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) will be used to determine potential manatee impacts. (COE)</p> <p>11. For projects in waters accessible to sea turtles, Smalltooth sawfish, Gulf sturgeon, or Shortnose sturgeon, the permittee will utilize the "Sea Turtle and Smalltooth Sawfish Construction Conditions" (see http://www.saj.usace.army.mil/permit/Endangered_Species/end_species_index.htm) and/or requirements, as appropriate for the proposed activity.</p>
46. Discharges in Ditches (404)	Upland-cut ditches only	1 acre	Regional conditions #4.	No	Yes	Yes									<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S.,</p>	

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
 Summary of Applicability, Limits, State and Tribal Certifications,
 and
 Proposed Regional Conditions
 April 2007

			#5, and #6											<p>by the Department of Environmental Protection, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>2. No change in the rate or volume of water discharged from the site from pre-construction conditions is authorized. (WQC/CZM-FL)</p> <p>3. Excluded from use in the following waters of the St. Johns River Water Management District:</p> <p>a. Wekiva Basin: The Wekiva River, Little Wekiva River north of S.R. 434, Rock Springs Run, Black Water Creek, Sulphur Creek or Seminole Creek, including the wetlands abutting these waterways, all in Orange, Seminole and Lake Counties. (WQC/CZM-FL)</p> <p>b. Econlockhatchee Basin: The Econlockhatchee River, Little Econlockhatchee River north of University Boulevard, Mills Creek, Silcox Branch, Mills Branch, Long Branch, Hart Branch, Cowpen Branch, Green Branch, Turkey Creek, Little Creek and Fourmile Creek, including all of the wetlands contiguous to these waterways, all in Osceola, Orange and Seminole Counties. (WQC/CZM-FL)</p> <p>c. Tomoka River/Spruce Creek: The Tomoka River, Little Tomoka River, Spruce Creek, and Priest Branch, including wetlands abutting these waterways, all in Volusia and Flagler Counties. (WQC/CZM-FL)</p> <p>4. PCN required prior to the start of any activity in the Jacksonville District. (COE)</p> <p>5. All PCNs in Puerto Rico shall be made using the Puerto Rico Joint Permit Application (JPA) and the JPA form must clearly indicate that it is a PCN. (COE)</p> <p>6. In Florida, the PCN shall include a sediment and erosion control plan. (COE)</p> <p>7. Excluded from use in the Florida Keys. (COE)</p> <p>8. Excluded from use in Golden Gate Estates, south of Alligator Alley in Collier County. This NWP may apply up to the 1/2 acre limit within Golden Gates Estates north of Alligator Alley. (COE)</p> <p>9. Excluded from use in the Belle Meade North bounded by I-75 to the south, Golden Gate Canal to the west, and Miller Canal to the east, and Belle Meade South bounded by I-75 to the north, CR 951 to the west, Miller Canal to the east, and U.S. 41 to the south in Collier County, FL. (COE)</p>
47. Pipeline Safety Program Designated Time Sensitive Inspections and Repairs (10/404)	All	None	None	No	Yes	Yes								<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit or exemption required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, under Chapter 597 F.S., by the Department of Agriculture and Consumer Services, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p> <p>CORPS REGIONAL CONDITIONING PROHIBITED</p>
48. Existing Commercial Shellfish Aquaculture Activities (10/404)	Navigable	Not greater than 25% of estuary or bay and cannot raise bottom elevation by more than 2 feet	If cover of SAV 25% or greater	If over 1/2 acre of Wat US will be lost	Yes	Yes								<p>1. In Florida, prior to the initiation of any construction, projects qualifying for this nationwide permit must be authorized by the applicable permit required under Part IV of Chapter 373, F.S., by the Department of Environmental Protection, under Chapter 597, F.S., by the Department of Agriculture and Consumer Services, a water management district under s. 373.069, F.S., or a local government with delegated authority under s. 373.441, F.S., and receive Water Quality Certification (WQC) and applicable Coastal Zone Consistency Concurrence (CZCC) or waiver thereto, as well as any authorizations required for the use of state-owned submerged lands from the department of Environmental Protection or the Department of Agriculture under Chapter 253, F.S., and, as applicable, Chapter 258, F.S. (WQC/CZM-FL)</p>

STF: Seminole Tribe of Florida
 NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
 NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.

JACKSONVILLE DISTRICT NATIONWIDE PERMITS
Summary of Applicability, Limits, State and Tribal Certifications,
and
Proposed Regional Conditions
April 2007

rivers, streams and natural tributaries thereto, excluding those intermittent streams, tributaries or portions thereof (see rule 62-312.030(2)(d), F.A.C.);
natural lakes, except:

- those where one person, other than the state, owns the entire lake to its landward extent;
- those that become dry each year and are without standing water; or
- those of no more than 10 acres in landward extent with a maximum average depth of 2 feet or less throughout the year; and
- waters within mosquito control impoundments constructed as part of a governmental mosquito control program (see rule 62-312.030(2)(g), F.A.C.).

Rev. FDEP 4-25-07

q:\corps\nwps\2006\nwp regional conditions 2007 4-25-07.rtf

STF: Seminole Tribe of Florida
NA: Not Applicable

MTIF: Miccosukee Tribe of Indians of Florida
NAJ: Not Applicable in the Jacksonville District

*Indicates a special condition requiring State of Florida individual review language in verification letter.